



Dominate the Darkness

*Aiming
Illumination &
Thermal Imaging Products*



23 Industrial Drive, Londonderry, NH 03053
Toll Free: 877-744-4802 Fax: 603-668-1084

www.InsightTechGear.com

©2009 Insight Tech-Gear

CFL-570-REV F

2009



ISO 9001:2000
CERTIFIED

News

Insight Tech-Gear, a dedicated team within Insight Technology, is rapidly expanding as our line-up of innovative aiming, illumination and identification products continue to allow the officer on the streets, the responsible citizen, the professional mariner and aviator to more capably operate in and dominate any low light situation.

In November, 2008 Insight Tech-Gear won the prestigious Product Of The Year Award from the New Hampshire High-Tech Council for its MTM-V2 (Mini-Thermal Monocular). New Hampshire Governor, John Lynch, presented the award to Insight Tech-Gear in recognition of achievements made in the high-tech arena. We strive to deliver you the results of this technological acumen in order to keep you safe. We encourage you to stay tuned as Insight Tech-Gear continues its growth and evolution into the 21st Century.



History

The world has changed since we began Insight in 1988. From our humble beginnings in a workshop in our family's home basement, to our status today as the foremost supplier of tactical lasers and illuminators for the U.S. Special Operations Forces, we have never lost sight of our mission: To provide the defenders of freedom with the advantages they need to get the job done. Today, this mission is more important than ever, for we live in a dangerous world where any advantage is critical to personal safety and an operation's success.

At Insight, our product development and product improvements result from a variety of interactions with the people who know best what really works... the user. Our engineers and field staff employ a number of methods including the review of after-action reports, interviews, briefings and training sessions, along with laboratory and situational testing in the development of products for use in the most difficult and strenuous of situations. The end result is a line of Insight Tech-Gear products that allow the user to use their weapons more effectively and efficiently, time and time again. As you will see in this catalog, our proud military heritage and technology has been incorporated into our entire line of products. We hope that you, the responsible citizen, the aviator, the mariner or the first responder will come to depend upon Insight Tech-Gear products to keep you safe today and everyday. We think you'll find our catalog interesting and informative. We look forward to your inquiries and business.

Table of Contents

C Series

Tactical LED Flashlights	
NEW HC120	2
NEW HC150	2
NEW HC150R <i>Rechargeable</i>	3
NEW HC200	3

X Series

Tactical LED Flashlights	
NEW HX120 (<i>Proxima</i>) <i>Programmable</i>	5
NEW HX150 <i>Programmable</i>	5
NEW HX150R (<i>Arcturus</i>) <i>Programmable/Rechargeable</i>	6
NEW HX200 (<i>Regulus</i>) <i>Programmable</i>	6
NEW HX260M	7

Tactical Weapon Mounted Lights

NEW WX150 (<i>Procyon</i>) <i>Cool White</i>	8
NEW WX150W <i>Tru-View™ Warm White LED</i>	9
NEW WX150L (<i>Laser</i>)	10
NEW WX100L (<i>Laser</i>)	11
M3X (<i>Pistol</i>)	12
M6X (<i>Pistol</i>)	12
M3X (<i>Long Gun</i>)	13
M6X (<i>Long Gun</i>)	13
X2 (<i>Sub-Compact</i>)	14
X2L (<i>Sub-Compact Laser</i>)	14

M Series Lights

M2 UTL	16
M3	16
M6 (<i>Laser</i>)	17

Surveillance and Sighting

NEW MTM-V2 (<i>Mini Thermal Monocular</i>)	18
NEW MTL (<i>Mini Thermal Monocular and LCD Screen</i>)	19
NEW LCD Screen (<i>To be used with the Mini Thermal Monocular</i>)	20
CNVD-T (<i>Clip-On Thermal Sight</i>)	21

Laser Aiming and Illumination

ATPIAL (<i>Advanced Target Pointer/Illuminator/Aiming Light</i>)	22
AN/PEQ-2A	23
AN/PAQ-4C	24
ILWLP/LAM-1000	25
LBS (<i>Laser Borelight System</i>)	26

Fit Chart	27
Warranty Information, IR Laser Products, Disclosure, Export Notice	29

C Series LEDs

NEW

HC120™



P/N: HH1-LKP10-OB01

HC120 Specifications

Light Source Shockproof High Intensity LED
Run Time 90 Minutes On High
Waterproof At 5 Meters/15 Feet
Dimensions 1.3" Head, 1" Body x 4.2" Long
Weight 5.0 oz. w/Battery
LED Output 120 Lumens Projects Out to 300 Feet
Lithium Battery Power 3 Volts from One (123)

Features

- Digitally Managed Circuit to Control Output Power and Heat
- Hard-Coat Anodized Aluminum Construction
- Weapon Mountable
- Lanyard and Batteries Included
- **Limited Lifetime Warranty**¹

Accessories:

- Flip Caps
- Traffic Baton

HC150 Specifications

Light Source Shockproof High Intensity LED
Run Time 2 Hours On High
Waterproof At 5 Meters/15 Feet
Dimensions 1.3" Head, 1" Body x 5.9" Long
Weight 6.5 oz. w/Battery
LED Output 150 Lumens Projects Out to 400 Feet
Lithium Battery Power 6 Volts from Two (123)

Features

- Digitally Managed Circuit to Control Output Power and Heat
- Hard-Coat Anodized Aluminum Construction
- Weapon Mountable
- Lanyard and Batteries Included
- **Limited Lifetime Warranty**¹

Accessories:

- Flip Caps
- Traffic Baton



P/N: HH2-LKP10-OB01

NEW

HC150™

NEW

HC150R™

Rechargeable



P/N: HH2-LKP10-OD02

HC200 Specifications

Light Source Shockproof High Intensity LED
Run Time 2 Hours On High
Waterproof At 5 Meters/15 Feet
Dimensions 1.6" Head, 30mm Body x 7.5" Long
Weight 8.0 oz. w/Batteries
LED Output 200 Lumens Projects Out to 500 Feet
Lithium Battery Power 9 Volts from Three (123)

Features

- Digitally Managed Circuit to Control Output Power and Heat
- Hard-Coat Anodized Aluminum Construction
- Weapon Mountable
- Lanyard and Batteries Included
- **Limited Lifetime Warranty**¹

P/N: HH3-LKP30-OB01

HC150 R Specifications

Light Source Shockproof High Intensity LED
Run Time 3 Hours On High /300 Hours on Low
Waterproof At 5 Meters/15 Feet
Dimensions 1.3" Head, 1" Body x 5.9" Long
Weight 6.5 oz. w/Battery
LED Output 150 Lumens Projects Out to 400 Feet
Lithium Battery Power Rechargeable Li-ion 3.7v

Features

- Digitally Managed Circuit to Control Output Power and Heat
- Hard-Coat Anodized Aluminum Construction
- Weapon Mountable
- Charger and Li-ion Battery Included
- **Limited Lifetime Warranty**¹


Accessories:

- Flip Caps
- Traffic Baton

NEW

HC200™





**SIMPLE
PROGRAMMABLE
ALL-IN-ONE
PUSH BUTTON TAIL CAP**

New for 2009, Insight introduces an extreme family of **Programmable** tactical LED flashlights. Our engineers married the lightweight compact power of Lithium batteries to a digitally managed circuit to provide programmable, multiple modes of operation. The final step was to wrap all of the smart technology engineered into an aggressive, combat-grade, machined aluminum, exterior that functions intuitively and reliably. Now, you and your team can depend upon an X-Series model that's right for your mission: a covert size 1-cell, a tactical-sized 2-cell, or an ultra-bright duty size 3-cell solution.

X Series Programmable Flashlights, allow the operator to pre-program the desired "On" mode. A Programmed mode can then be easily turned off and reprogrammed to adapt to any situation to come on in Full Bright, S.O.S., Strobe or over 20 various levels of Dim.

Truly the Worlds' finest tactical flashlight designed with your protection and safety in mind. Programmability, fit and multiple functions were engineered into this high-powered handheld, bringing you all the illumination you'll every need to – **Dominate the Darkness!**

**X-SERIES PROGRAMMABLE
HANDHELD FLASHLIGHT FEATURES**

- Programmable With Over 30 Power Settings and Functions
- Program to Come On in Any Level of Covert Dim to Extreme Power Beam
- Unbreakable Dura-Last LED Projects Out Up to 500 Feet
- Rugged Aerospace Anodized Aluminum Construction
- Aggressively Knurled Exterior Resists Slipping Under All Conditions
- Crenelated Bezel Provide Options for Tactical Defensive Deployment
- Precision Focused Aluminum Reflector Creating a Tight Hot-Spot and Generous Spill
- Long Lasting Lithium Batteries and Heavy Duty Adjustable Lanyard Included

HX120 Specifications

Light Source Shockproof High Intensity LED
Run Time 90 Minute On High / 100 Hours on Low
Waterproof At 5 Meters/15 Feet
Dimensions 1.3" Head, 1" Body x 4.2" Long
Weight 5.0 oz. w/Battery
LED Output 120 Lumens Projects Out to 300 Feet
Lithium Battery Power 3 Volts from One (123)

Features

- Multiple Modes:** Constant, Momentary, Strobe Dimming, S.O.S., Auto Off
- Digitally Managed Circuit to Control Output Power and Heat
 - Hard-Coat Anodized Aluminum Construction
 - Weapon Mountable
 - Heavy Duty Adjustable Lanyard and Batteries Included
 - **Limited Lifetime Warranty¹**

Accessories:

- Flip Caps
- Traffic Baton

**NEW Programmable
HX120 Proxima™**



P/N: HH1-LKP10-TB01

HX150 Specifications

Light Source Shockproof High Intensity LED
Run Time 2 Hours On High / 300 Hours on Low
Waterproof At 5 Meters/15 Feet
Dimensions 1.3" Head, 1" Body x 5.9" Long
Weight 6.5 oz. w/Battery
LED Output 150 Lumens Projects Out to 400 Feet
Lithium Battery Power 6 Volts from Two (123)

Features

- Multiple Modes:** Constant, Momentary, Strobe Dimming, S.O.S., Auto Off
- Digitally Managed Circuit to Control Output Power and Heat
 - Hard-Coat Anodized Aluminum Construction
 - Weapon Mountable
 - Heavy Duty Adjustable Lanyard and Batteries Included
 - **Limited Lifetime Warranty¹**

Accessories:

- Flip Caps
- Traffic Baton

**NEW Programmable
HX150**



P/N: HH2-LKP10-QB01

HX150 R Specifications

Light Source Shockproof High Intensity LED
Run Time 3 Hours On High / 300 Hours on Low
Waterproof At 5 Meters/15 Feet
Dimensions 1.3" Head, 1" Body x 5.9" Long
Weight 6.5 oz. w/Battery
LED Output 150 Lumens Projects Out to 400 Feet
Lithium Battery Power Rechargeable Li-ion 3.7v

Features

Multiple Modes: Constant, Momentary, Strobe Dimming, S.O.S., Auto Off

- Digitally Managed Circuit to Control Output Power and Heat
- Hard-Coat Anodized Aluminum Construction
- Weapon Mountable
- Charger, Li-ion Battery and Heavy-Duty Adjustable Lanyard Included
- **Limited Lifetime Warranty**¹

Accessories:

- Flip Caps
- Traffic Baton

NEW Programmable

HX150R Arcturus®

Rechargeable

P/N: HH2-LKP10-QD01



HX200 Specifications

Interface Options Handheld or Long-Gun Mounted
Light Source Shockproof High Intensity LED
Run Time 2 hours On High / 300 Hours on Low
Waterproof At 5 Meters/15 Feet
Dimensions 1.6" Head, 30mm" Body x 7.5" Long
Weight 8.0 oz. w/Batteries
LED Output 200 Lumens Projects Out to 500 Feet
Lithium Battery Power 9 Volts from Three (123)

Features

Multiple Modes: Constant, Momentary, Strobe, Dimming, S.O.S., Auto Off

- Digitally Managed Circuit to Control Output Power and Heat
- Hard-Coat Anodized Aluminum Construction
- Weapon Mountable
- Heavy Duty Adjustable Lanyard and Batteries Included
- **Limited Lifetime Warranty**¹

NEW Programmable

HX200 Regulus™

P/N: HH3-LKP30-QB01



The HX260m, battlefield-inspired, multi-spectral flashlight, delivers 260 powerful lumens of customized light necessary to dominate in any tactical scenario. Manufactured from combat-grade, machined aluminum, this light has stood up to conditions no human should ever face. When operating under the rigors of tactical low light situations, following blood trails, illuminating a landing zone or analyzing crime scene data, a quick switch of the bezel provides the appropriate color, or mode, of light required to take control of the situation. Whether it's the blinding effect of debilitating strobe, direct illumination or use of the multiple LED colors, the HX260m's solid state LED is exceptionally reliable. When the good guys need to dominate a low light situation, there is no better tool than the HX260m.

HX260 M Specifications

Light Source Shockproof High Intensity LED
Run Time 2 Hours On High / 50 Hours on Low
Waterproof At 5 Meters/15 Feet
Dimensions 1.6" Head, 1.18" Body x 5.9" Long
Weight 8.0 oz. w/Batteries
LED Output 260 Lumens (white light only)
Lithium Battery Power 6 Volts from Two (123)

Features

Multiple Modes: Constant, Strobe, Dim, Auto Off
Multiple Colors: White, Blue, Red, Green, Amber

- Digitally Managed Circuit to Control Output Power and Heat
- Hard-Coat Anodized Aluminum Construction
- **Limited Lifetime Warranty**¹

NEW

HX260M™

P/N: H4C-LBM30-TB01



Blue

Forensics and detective use for finding blood traces.

Red

Law enforcement and the military use for visible and non-visible tactical missions. Red preserves night adjusted sight.

Green

Sportsmen use for tracking and natural low-light won't spook game.

Amber

For tactical missions and low-light map reading.

ONE LIGHT WITH MULTIPLE COLORS AND MODES OF OPERATION



NEW

Handheld Accessories

Insight introduces handheld accessories for its lineup of 1 cell size (HC120 or HX120 lumen) and 2 cell size (HC150 or HX150 lumen) flashlights.

Traffic Safety and Directional Baton



P/N: 080-HH2TB-0001

(Flashlight Not Included)

Baton and Flip Caps Fit:

HC120 HC150 HC150R
 HX120 HX150 HX150R

TRAFFIC BATON

The traffic cone comes in a bright translucent safety orange color that becomes highly visible when lit and can be used for signalling, guiding and traffic direction.

Flip Cap Lens

P/N:
 FC1-R13B1-MB01 (Red)
 FC1-A13B1-MB01 (Amber)
 FC1-B13B1-MB01 (Blue)
 FC1-G13B1-MB01 (Green)
 FC1-K13B1-MB02 (Black)
 FC1-C13B1-MB03 (Clear)

(Flashlight Not Included)



FLIP CAPS

Highly durable, anti-roll hex shape design comes in 5 assorted colors and clear for multiple uses.

X Series LEDs

The WX150, made of combat-grade, machined aerospace aluminum, reliably delivers 150 lumens of stunning light necessary to win in any tactical low light scenario. Whether you need to illuminate the area of operation with powerful LED light, or to temporarily debilitate the bad guy with a blinding strobe, the WX150 is mission ready. Fitting in Standard M3 sized weapon holsters, the affordable WX150's high performance, solid state LED is exceptionally reliable, and will stand up to maximum weapon shock. The WX150 comes equipped with a cool white LED for optimum illumination performance via enhancement of details and contrast of the target areas. As the WX150 easily fits to your weapon's 1913 Picatinny rail, more law enforcement officers, responsible citizens and mariners are relying upon the WX150 every day.

*True Ambidextrous,
Multi-Function Switch*



*Adjustable
Slide-Lock® Rail*



NEW
WX150
Procyon™



P/N: WM3-LBRXU-TB01
(Cool White LED)

WX150 Specifications

Interface Options Adjustable Slide-Lock® Interface

Light Source Shockproof High Intensity LED

Run Time 125 Minutes

Waterproof 10 Meters/30 Feet

Dimensions 3.2" x 1.6" x 1.5"

Weight 4.0 oz. w/Batteries

LED Output 150 Lumens

Lithium Battery Power 6 Volts from Two (123)

Features

Multiple Modes: Constant, Momentary, Strobe

- Digitally Managed Circuit optimizes output
- Hard-Coat Anodized Aluminum Construction
- Patented Slide-Lock attachment design
- Adjustable rail-interface fits all standard rails
- Fits in existing M3 holsters and 1913 Rails for Rifles and Shotguns
- Weapon Mountable
- **Limited Lifetime Warranty**¹

NEW
WX150w™



P/N: WM3-LBRXU-PB01
(Warm White LED)

New for 2009, the WX150w, warm white LED provides accurate **Tru-Vue™** detection of facial features and hand movements. Fits in standard M3 sized weapon holsters and 1913 Picatinny rails for rifles and shotguns. Whether you need to illuminate the area of operation with powerful LED light, or to temporarily debilitate the bad guy with a blinding strobe, the WX150 is mission ready to - **Dominate the Darkness!**

TRU-VUE™

WX150w Specifications

Interface Options Adjustable Slide-Lock® Interface

Light Source Shockproof High Intensity TRU-VUE™ Warm White LED

Run Time 125 Minutes

Waterproof 10 Meters/30 Feet

Dimensions 3.2" x 1.6" x 1.5"

Weight 4.0 oz. w/Batteries

LED Output 100 Lumens

Lithium Battery Power 6 Volts from Two (123)

Features

Multiple Modes: Constant, Momentary, Strobe

- Digitally Managed Circuit optimizes output
- Hard-Coat Anodized Aluminum Construction
- Patented Slide-Lock attachment design
- Adjustable rail-interface fits all standard rails
- Fits in existing M3 holsters and 1913 Rails for Rifles and Shotguns
- Weapon Mountable
- **Limited Lifetime Warranty**¹



TRU-VUE™
WARM WHITE LED

- *Accurate Detection of Hand and Facial Features*
- *Precision Focused Aluminum Reflector Creating a Tight Hot-Spot and Generous Spill*
- *Rugged Aerospace Anodized Aluminum Construction*
- *Long Lasting Lithium Batteries Included*



The WX150 L combines the industry leading features of the WX150 Procyon with a rugged, low-profile, adjustable, weapon-mounted red laser. The WX150L, outfitted with a low power-consuming red laser, is max weapon-shock tested and fits in existing M6 holsters. This 21st Century aiming & illumination tool allows the operator the confidence to precisely deliver stunning white light and to enjoy the target acquisition ability necessary to dominate any low light combat scenario. Whether you rely upon the blinding effect of direct illumination or the thug-debilitating effect of the strobe mode, the solid state LED will prove exceptionally reliable. As the WX150L easily fits to your weapon's 1913 Picatinny rail, more law enforcement officers, responsible citizens and mariners are relying upon the WX150L every day to **Dominate the Darkness!**

WX150 L Specifications

Interface Options Adjustable Slide-Lock® Interface

Light Source Shockproof High Intensity LED

Run Time 125 Minutes

Waterproof 6' Feet for 5 minutes

Dimensions 3.2"L x 1.55"w x 2.15"h

Weight 3.8 oz. w/Batteries

LED Output 150 Lumens

Visible Laser

- Class IIIa, Red

- Range 200M

Features

Multiple Modes: Constant, Momentary, Strobe

- Digitally Managed Circuit Optimizes Output
- Hard-Coat Anodized Aluminum Construction
- Patented Slide-Lock Attachment Design
- Adjustable Rail-Interface Fits All Standard Rails
- Weapon Mountable
- **Limited Lifetime Warranty¹**

NEW

WX150 L™



P/N: WM3-LBRXU-DB01



WX100 L Specifications

Interface Options Adjustable Slide-Lock® Interface

Light Source Shockproof High Intensity LED

Run Time 60 Minutes

Waterproof 6' for 5 minutes

Dimensions 2.4" x 1.4" x 1.9"

Weight 3.0 oz. w/Batteries

LED Output 100 Lumens

Visible Laser

- Class IIIa, Red

- Range 200M

Features

Multiple Modes: Constant, Momentary

- Digitally Managed Circuit Optimizes Output
- Hard-Coat Anodized Aluminum Construction
- Patented Slide-Lock Attachment Design
- Adjustable Rail-Interface Fits All Compact Rails
- Weapon Mountable
- **Limited Lifetime Warranty¹**

The WX100L combines industry-leading illumination technology with a rugged, low-profile, adjustable, low power-consuming, red laser. The sleek design of the compact WX100L allows your compact weapon to deliver 100 powerful lumens of stunning white LED light in a constant or strobing fashion. Max weapon-shock tested, the WX100L's laser offers you unparalleled aiming precision due to its near-bore axis position. Built from combat-grade, machined aluminum, the WX100L reliably delivers 100 lumens of stunning light necessary to win in any tactical low light scenario. The laser ensures you can put your rounds right on target! Whether called upon to illuminate the area of operation, or your home, with powerful LED light, or to temporarily debilitate a bad guy with blinding strobe light, the WX100L is mission ready.



P/N: WM2-LBRXU-VC01

NEW

WX100 L™

**SUB-COMPACT
NEAR-BORE DESIGN**



X Series Xenon

Designed to military specifications, the X-Series Tactical Illuminators are built for those who want the best possible balance of size, weight, power, and durability.

X-treme Compatibility...

Insight's patented Slide-Lock® interface allows instant tool-free mounting and removal from any tactical pistol or shoulder-fired weapon equipped with rails or a rail adapter. Our Rail-Grabber™ interface provides optimum boresight retention.

M3X Tactical Illuminator

P/N: M3X-000-A3 (1913)
 M3X-000-A8 (Universal)
 M3X-000-A13 (Rail-Grabber)
 M3X-000-A25 (1913 Black and Tan)



M3X Pistol Specifications

Interface Options MIL-STD-1913, Universal, or Rail-Grabber™
Dimensions 3.4"L x 1.6"W x 1.6"H
Weight 3.9 oz. w/Batteries
Peak Output 125+ Lumens
Lithium Battery Power 6 Volts from Two (123)
Limited Lifetime Warranty¹

Accessories:

- Contoured Pistol Remote Backplate
- Long Gun Backplate
- Flip-Up Filter in IR, Red and Opaque
- Bikini Filter in IR, Red and Opaque

X-treme Versatility...

With options like interchangeable long gun and pistol backplates and filters to produce infrared light for use with night vision technology, the X-Series is easily configured for your multi-weapon, mission-specific needs.

M3X Tactical Illuminator



P/N: M3X-000-A1 (1913)
 M3X-000-A9 (Universal)
 M3X-000-A15 (Rail-Grabber)
 M3X-000-A2 (Universal Kit)
 M3X-000-A17 (Rail-Grabber Kit)
 M3X-000-A23 (Universal Tan)

M3X Long Gun Specifications

Interface Options MIL-STD-1913, Universal, or Rail-Grabber™
Dimensions 3.6"L x 1.6"W x 1.6"H
Weight 4.3 oz. w/Batteries
Peak Output 125+ Lumens
Lithium Battery Power 6 Volts from Two (123)
Limited Lifetime Warranty¹

Accessories:

- X-Series Contoured Pistol Backplate
- Flip-Up Filter in IR, Red and Opaque
- Pistol Backplate
- Bikini Filter in IR, Red and Opaque

M6X Pistol Specifications

Interface Options MIL-STD-1913, Universal, or Rail-Grabber™
Dimensions 3.4"L x 1.6"W x 2.1"H
Weight 4.4 oz. w/Batteries
Peak Output 125+ Lumens
Visible Laser
 - Class IIIa, Red
 - Range 200M
Lithium Battery Power 6 Volts from Two (123)
Limited Lifetime Warranty¹

Accessories:

- Contoured Pistol Remote Backplate
- Long Gun Backplate
- Flip-Up Filter in IR, Red and Opaque
- Bikini Filter in IR, Red and Opaque

X-treme Performance...

The X-Series weapon mounted lights offer a peak output of 125 lumens and a minimum run time of one full hour. The M6X variant offers stainless steel inserts for windage and elevation adjusters that provide outstanding boresight retention.



M6X Tactical Laser Illuminator

P/N: M6X-000-A3 (1913)
 M6X-000-A8 (Universal)
 M6X-000-A13 (Rail-Grabber)

M6X-IR

The M6X is available in a Class IIIb IR laser variant for authorized users, contact Insight for details.



M6X Long Gun Specifications

Interface Options MIL-STD-1913, Universal, or Rail-Grabber™
Dimensions 3.6"L x 1.6"W x 2.1"H
Weight 4.8 oz. w/Batteries
Peak Output 125+ Lumens
Visible Laser
 - Class IIIa, Red
 - Range 200M
Lithium Battery Power 6 Volts from Two (123)
Limited Lifetime Warranty¹

Accessories:

- Contoured Pistol Remote Backplate
- Pistol Backplate
- Flip-Up Filter in IR, Red and Opaque
- Bikini Filter in IR, Red and Opaque



X-treme Reliability...

The X-Series' Shock Suppression System produces extreme durability, allowing the bulbs to stand up to the demands of today's tactical loads. The enhanced MIL-spec design allows the airtight X-Series to be exposed to the world's harshest environments, be it a blinding desert sand storm or swimming to a depth of 66 feet in salt water.

Insight has pushed white light technology to the extreme and combined it with our combat-proven laser capability to produce the ultimate light/laser combo, the M6X.



M6X Tactical Laser Illuminator

P/N: M6X-000-A1 (1913)
 M6X-000-A9 (Universal)
 M6X-000-A15 (Rail-Grabber)
 M6X-000-A17 (Rail-Grabber Kit)



Rail-Grabber Interface

X Series Xenon

Get the Insight advantage in a truly concealable package. Extreme engineering has produced the world's only sub-compact weapon-mounted light and light/laser combination. The X2 features include a Slide-Lock™ interface, focusable beam, and intuitive rocker switch with constant and momentary settings. The X2L shares all of these features and a visible aiming laser with a selector switch for white light only operation.

X2



P/N: MTV-000-A1

X2 Specifications

Universal Sub-Compact (See fit chart page 28 and 29)
Dimensions 2.4"L x 1.4"W x 1.9"H
Weight 1.7 oz. w/batteries
Peak Output 40+ Lumens
Lithium Battery Power 3 Volts from One CR2
Limited Lifetime Warranty¹

X2 Laser



P/N: MTV-100-A1

SUB-COMPACT DESIGN



X2 Laser Specifications

Universal Sub-Compact (See fit chart page 28 and 29)
Dimensions 2.4"L x 1.4"W x 1.9"H
Weight 1.7 oz. w/Batteries
Peak Output 40+ Lumens
Visible Laser
 - Class IIIa Red
 - Range 200M
Lithium Battery Power 3 Volts from One CR2
Limited Lifetime Warranty¹

Ergonomic Laser Deactivator Switch



X-Series Weapon Mount Accessories

Contoured Pistol Remote



P/N: CFL-400

Pistol Backplate



P/N: CFL-150

Bikini Filter



P/N: CFL-180-A1 (IR)
 CFL-180-A2 (Red)
 CFL-180-A3 (Opaque)



Flip Cap Filter



P/N: CFL-210-A2 (Red)
 CFL-210-A3 (Opaque)
 CFL-210-A4 (IR)

Long Gun Backplate



P/N: CFL-170

Long Gun Remotes



P/N: CFL-053-8
 CFL-053-4
 CFL-310



See the Complete Line of Accessories on Our Website



M-Series Lights



M2 UTL

P/N: HKL-000-A5

The light that started the revolution, blinding power, single-handed operation, and instant tool free installation. The M2 UTL set the standard and remains your best choice for white light on a USP.

M2 UTL Specifications

Interface Options Designed to Fit the H&K USP Series
Dimensions 3.5"L x 1.5"W x 2.1"H
Weight 4 oz. w/Batteries
Peak Output 90+ Lumens
Lithium Battery Power 6 Volts from Two (123)
Limited Lifetime Warranty¹

- Accessories**
- IR Filter
 - Plug Style Remote

M2 UTL Accessories

IR Filter



P/N: CFL-015

Plug Style Remote



P/N: CFL-100

The M3 set the standard for pistol-mounted lights. This tactical tool has proven itself in military combat around the world, on duty in more holsters of police officers than any other brand and mounted on countless numbers of personal and home defense weapons.

M3



P/N: GLL-001-A1
 GLL-001-A5 (Tan)

M3 Specifications

Interface Options Patented Universal Slide-Lock®
Dimensions 3.4"L x 1.6"W x 1.5"H
Weight 3.3 oz. w/Batteries
Peak Output 90+ Lumens
Lithium Battery Power 6 Volts from Two (123)
Limited Lifetime Warranty¹

- Accessories**
- Shotgun Remote
 - Pistol Remote
 - IR Filter

M6 Specifications

Interface Options Patented Universal Slide-Lock®
Dimensions 3.4"L x 1.6"W x 1.9"H
Weight 3.7 oz. w/Batteries
Peak Output 90+ Lumens
Visible Laser
 - Class IIIa, Red
 - Range 200M
Lithium Battery Power 6 Volts from Two (123)
Limited Lifetime Warranty¹

- Accessories:**
- Shotgun Remote
 - Pistol Remote
 - Long-Gun Remote Switches
 - IR Filter
 - Pattern Generators

The M6 provides blistering white light combined with an integrated visible aiming laser. Years of service have earned the M6 a reputation for reliability, speed, and accuracy.



M6

P/N: TLI-000-A1
 TLI-000-A3 (Tan)



M6-IR
 The M6 is available in a Class IIIb IR laser variant for authorized users, contact Insight for details.

M-Series Accessories

IR Filter



P/N: CFL-015

Pattern Generators (M6 Only)



P/N: CFL-033

Shotgun Remote



P/N: CFL-200

Pistol Remote



P/N: CFL-050-425



Surveillance and Sighting



MTM-V2
(Mini Thermal Monocular)

P/N: MTM-000-A5 (V2-Visible)
MTM-000-A3 (V2-IR)

MTM-V2 Specifications

- Stationary Man-Sized Target Detection at 400 Meters
- Moving Man-Sized Target Detection at 500 Meters
- Integrated Visible Red or IR Marking Laser
- Menu-driven functions include
 - * Brightness & Gain * Polarity (WH & BH)
 - * Calibration * 2X Digital Zoom
- Adjustable Objective & Diopter Focus
- Unity Magnification
- External Video Jack
- Ergonomically Designed for Handheld Operation or Integral Tripod Mount
- 4 Hours Continuous Operation Using Two 3-Volt Lithium Batteries (123)
- Lightweight/Pocket Size, 11.5 oz
- Waterproof

Insight listened to the user feedback on the Mini Thermal Monocular MTM and responded with the **MTM-V2**. The MTM-V2 is a more cost-effective method of putting the industry-leading thermal vision miniaturization and resolution into the hands of more law enforcement agencies and first responders. The MTM-V2's cutting edge micro-bolometer technology enables easy thermal detection, recognition and identification of a moving man sized target at 500 meters through a variety of light and weather conditions. This life saving technology recently won the New Hampshire High Tech Council's prestigious **Product Of The Year Award!** The MTM-V2 is more evidence of Insight's continuous efforts to take cutting-edge military inspired designs and put them in your hands, the hands of the men and women on the job, every day and every night. **Dominate the Darkness with the MTM-V2!**



See export notice, page 29

Insight's
Ultra VOx® Image

By combining industry-leading 320 x 240 resolution with Insight's Ultra VOx®, embedded signal processing program in a handy mini device, professionals will appreciate the ability to see thermal detail like never before. Sensitivity to .07 degree temperature differences truly allows you precise object/subject identification. Key, un-named, governmental agencies already appreciate how easily digital snapshots can be taken, stored on board, downloaded to a PC, or how streaming video can be recorded to a separate device (PC, VCR, DVR, etc.) for subsequent review and documentation. The MTL gives you the ability to quickly ID subjects at 500m, follow footprints, find hand prints and other objects when radiating the wrong temperature is proving a key 21st Century crime fighting tool. A SWAT officer recently commented on the MTL's flexible screen. He said, "Officers' lives will be saved. Now, your head does not have to go around corners to find the perp!" Now your department can have the ability to ID perps or perform SAR activities with previously unbelievable ease and reliability. **Dominate the Darkness with the MTL.**



NEW

MTL
(Mini Thermal Monocular and
LCD Screen Accessory Kit)

P/N: MTL-LPROC-OV01



Insight's
Ultra VOx® Image



MTL Specifications

MTM-V2

- Stationary Man-Sized Target Detection at 400 Meters
- Moving Man-Sized Target Detection at 500 Meters
- Integrated Visible Red or IR Marking Laser
- Digital Image Capture & Download (up to 160 images)
- Menu-driven functions include
 - * Brightness & Gain * Polarity (WH & BH)
 - * Calibration * 2X Digital Zoom
- Adjustable Objective & Diopter Focus
- Unity Magnification
- External Video Jack, RS170 or VGA Output
- Ergonomically Designed for Handheld Operation or Integral Tripod Mount
- 4 Hours Continuous Operation Using Two 3-Volt Lithium Batteries (123)
- Lightweight/Pocket Size, 11.5 oz
- Waterproof

LCD Screen

Interface Options Designed to Fit the MTM-V2

Dimensions 4"W x 1.6"W x 3.6"H

Weight 13.5 oz. w/Batteries

Screen 3.5" Anti-Glare

Lithium Battery Power

Runs on any of following 3 combinations

(2) 18650 Rechargeable Lithium-ion

(4) CR123 Rechargeable Lithium-ion

(4) DL123 Lithium-ion

Voltage Acceptance 5 - 12 v

Limited Lifetime Warranty¹

See export notice, page 29



Surveillance and Sighting

Insight's MTM MINI-LCD MONITOR is a portable device offering a large, flexible, viewing screen and can be used with the MTM-V2 multi-platform thermal imager, providing easy moving man-sized target detection at 500 meters through a variety of light and weather conditions. Insight's MTM LCD has intuitive controls and attached to your MTM in seconds. Keep your team safe, performing search and rescue activities or identifying perps has never been easier.

NEW

LCD Accessory
(Use with MTM-V2)

P/N: 100-MTL01-0001



LCD Screen Specifications

LCD Screen Interface Options Designed to Fit the MTM-V2
Dimensions 4"W x 1.6"W x 3.6"H
Weight 13.5 oz. w/Batteries
Screen 3.5" Anti-Glare
Lithium Battery Power
Runs on any of following 3 combinations
 (2) 18650 Rechargeable Lithium-ion
 (4) CR123 Rechargeable Lithium-ion
 (4) DL123 Lithium-ion
Voltage Acceptance 5 - 12 v
Limited Lifetime Warranty¹

DELIVERS EXCEPTIONAL DETECTION AND IDENTIFICATION OF TARGETS UP TO 500 METERS - IN THE LIGHT OR TOTAL DARKNESS!

Insight's CNVD-T is a lightweight, multi-platform thermal imager, providing moving man-sized target detection performance over 500 meters. CNVD-T can be weapon-mounted as a stand-alone sight or in combination with existing day optics. CNVD-T's small size also makes it ideal for hand-held use.

CNVD-T Specifications

- Facial Recognition
- Stationary Man-Sized Target Detection at 400 Meters
- Moving Man-Sized Target Detection at 500 Meters
- Adjustable Focus
- Unity Magnification
- Start-Up Time Under 5-Seconds
- 2X Digital Zoom
- External Video Jack
- Boresight Adjustable, Auto Colored Reticle
- Focus Range 1-Meter to Infinity
- Mounts to any MIL-STD-1913 Rail
- Menu Driven Functions Include
 - * Polarity * Single Point Calibration
 - * Reticle On/Off * Reticle Adjustment
- Maintains Boresight to 0.5 mrad
- 8 Hours Continuous Operation on Four 3-Volt Lithium Batteries (123)
- Lightweight - 22 oz. (with Batteries)
- Waterproof to 66'

See export notice, page 29

CNVD-T (Clip-On Thermal Sight)



P/N: CQB-001-A6 (Tan)



Laser Aiming and Illumination

The Advanced Target Pointer/ Illuminator/ Aiming Light (ATPIAL) is designed to be used with (or without) night vision devices to engage enemy targets at night. As the next generation of the AN/PEQ-2A, the ATPIAL offers more functionality at almost 1/2 the size and weight. The integration of co-aligned Vis and IR aiming lasers combined with an adjustable/focusable IR illuminator, set the new standard in the industry. Insight's successful fielding of ATPIALs into multiple branches of the military, as well as federal law enforcement agencies, establishes a rock-solid foundation to now make ATPIAL available to qualified state, municipal and local law enforcement agencies.

ATPIAL (Advanced Target Pointer/Illuminator/Aiming Light)



P/N: ATP-000-A18 (Tan)
ATP-000-A22 (Black)

ATPIAL Specifications

Weight 7.5 oz. w/Battery
Battery Power One 3v DL123A battery
Output >6 Hours in Dual High
Dimensions 4.6" L x 2.8"w x 1.6"h
Waterproof 6m for one hour

Visible Aim Laser:
Output 4.0 mW
Beam Divergence 0.5 mrad
Wavelength 605-665 nm
Range >25m

IR Aim Laser:
Output Power LOW 600 μW
Output Power HIGH 25mW
Beam Divergence 0.5 mrad
Wavelength 820-850 nm
Range >600m (LOW), 2000m (HIGH)

IR Illuminator:
Output Power LOW 3.5mW
Output Power HIGH 30 mW
Beam Divergence 1-105 mrad
Wavelength 820-850 nm
Range >2000m

See export notice, page 29



Insight's AN/PEQ-2A is a dual beam multi-function weapon-mounted IR aiming laser and illuminator. This battle-tested device provides NVG-equipped operators a tremendous advantage in low light confrontations.



AN/PEQ-2A Specifications

- The US Military Standard for Night Direct Fire
- IR Aiming Laser for First Shot Hit Capability
 - Range >2,000 Meters
- IR Illuminator for Target Detection
 - Adjustable Beam (Spot to Flood)
- Battle-Tested
 - Iraq
 - Afghanistan
- Over 100,000 Produced for the U.S. Military
- Mounts to any MIL-STD-1913 Rail
 - M4
 - M240
 - M249
 - All U.S. Military Standard Direct Fire Weapons
- Waterproof to 66'

See export notice, page 29



AN/PEQ-2A



P/N: ITP-500C-A2



Laser Aiming and Illumination

The AN/PAQ-4C has proven to be the dominant military standard IR aiming light. Activated by an integral momentary switch or by a remote pressure switch, the AN/PAQ-4C meets the most stringent military environmental specifications.

Originally designed in the early 90s for military-only procurement, the 4C is now directly available to qualified federal, state, and municipal agencies.

The AN/PAQ-4C is also available in a non-restricted visible laser variant.



AN/PAQ-4C Specifications

- Compact
- Lightweight
- 0.3 mrad Beam Divergence Powered by Two 1.5-Volt AA Batteries
- Off-Axis Visual Security
- Range 1,000 Meters
- Battle-Tested
 - Desert Storm
 - Afghanistan
 - Iraq
- Mounts to any MIL-STD-1913 Rail
 - M4
 - M16
 - M249
 - M60
- Waterproof to 66'
- Remote Switch Activation
- NSN 5855-01-398-4315

See export notice, page 29



AN/PAQ-4C/Infrared Aiming Light

P/N: 4C000C-A2

Originally designed in response to the U.S. Navy S.E.A.L.'s Assault Pistol program, the Laser Aiming Module, (L.A.M.) pioneered new ground and set the standard for multi-laser/white light capability in a compact pistol mounted package. Today, Insight's LAM-1000 is known to the U.S. Military as the ILWLP.



ILWLP Specifications

- Infrared Aiming Laser
- Visible Aiming Laser
- Fixed Focus IR Illuminator
- Focusable Visible Illuminator
- Co-Aligned Lasers
- Visible/Infrared Laser Inactivation Switch
- Pattern Generators Quickly Attach Without Use of Special Tools
- Momentary or Constant on Activation
- Remote Switch Activation
- Mounts to Any MIL-STD-1913 Rail
- 100 Peak Lumens
- Waterproof to 66'

Rail Options MIL-STD-1913, Universal, Rail-Grabber™, H&K USP, or H&K MK 23

Dimensions 4.5" L x 1.6" W x 2"H

Weight 5 oz. w/Batteries

Lithium Battery Power 6 Volts from Two (123)

See export notice, page 29



ILWLP/LAM-1000



- P/N: DLM-1100-A2 (IR)
- DLM-1150-A2 (Visible)
- DLM-1200-A2 (IR)
- DLM-1250-A2 (Visible)
- DLM-1300-A2 (IR)
- DLM-1350-A2 (Visible)
- DLM-1400-A2 (IR)
- DLM-1450-A2 (Visible)

Laser Aiming and Illumination

Fit Chart

Insight's Laser Borelight System provides a fast and exceptionally precise method for zeroing any aiming laser, day optic, iron sight, and thermal weapon sight to the host weapon without ever having to fire a round. The LBS can be used with any weapon-sight combination using naked eyes, direct view optics, or a night vision device.



LBS Specifications

- Intuitive to Operate
- Visible Laser-Class IIIa, Red
- Operates on One 1.5-Volt AA Battery
- Integral Beam Adjusters
- Integral Mode Switch
 - ON/OFF
 - Goggle
 - Low
 - Pulse
- No Firing Required to Achieve Zero
- Lightweight – 4.5 oz.
- Multiple Mandrels (.223 cal & .308 cal)

See export notice, page 29



Department of Defense

LBS (Laser Borelight System)

P/N: LBS-300C



Gun Manufacturer	LG/P	Gun Model	Comment	M2 (UTL)	M3	M6	X2 (XML)	X2L/WX100L	M3X	M6X	XTI/WX150/WX150L	LAM
Benelli	LG	Shotguns	CFL-900 and ext. mag tube		X	X			A1	A1	X	1250
Beretta	LG	CX4 Storm			X	X			A1	A1	X	1250
	P	PX4 Storm			X	X			A13	A13	X	1150
	LG	RX4 Storm			X	X			A15	A15	X	1150
	P	92/96 models	Adapter Required		X	X			A8	A8	X	1150
	P	Vertec			X	X			A8	A8	X	1150
	P	90-TWO			X	X			A8	A8	X	1150
	P	PX4 Sub-Compact					X	X				
	P	M9-A1			X	X			A8	A8	X	1150
Browning	P	PRO-9			X	X			A8	A8	X	1150
	P	92G SD			X	X			A8	A8	X	1150
Caspian Arms	P	Recon Rail Receiver			X	X			A8	A8	X	1150
Colt	LG	M4	1913/Picatinny Rails		X	X			A1	A1	X	1250
	LG	AR-15	1913/Picatinny Rails		X	X			A1	A1	X	1250
CZ	P	75 P-01			X	X			A8	A8	X	1150
FN	LG	P90-Tri-rail			X	X			A8	A8	X	1150
	LG	Scar			X	X			A1	A1	X	1150
	P	Five-SeveN			X	X			A8	A8	X	1150
	P	FNP 9, 40, 45			X	X			A8	A8	X	1150
Glock	P	17, 19, 20, 21, 22, 23, 25, 31, 32, 34, 35, 37, 38			X	X			A8	A8	X	1150
	P	30 w/Rail					X	X				
H&K	LG	MP5	Weaver or 1913/Picatinny		X	X			A15,	A15	X	1150
	P	USP, Compact/Full		X								1350
	P	P2000			X	X			A8	A8	X	1150
	P	P2000SK					X	X				
	P	MK23										1450
	P	P30			X	X			A8	A8	X	1150
LG	P	HK45			X	X			A8	A8	X	1150
	LG	HK416			X	X			A1	A1	X	1250
	LG	HK417			X	X			A1	A1	X	1250
	LG	UMP			X	X			A1	A1	X	1250
	LG	MP7			X	X			A1	A1	X	1250
	LG	G36			X	X			A1	A1	X	1250
	P	HK45C					X	X				
	Kel-Tec	P	PF-9				X	X				
Kimber	P	TLE/RL II			X	X			A8	A8	X	1150
	P	Warrior			X	X			A8	A8	X	1150
	P	SIS Custom/RL			X	X			A8	A8	X	1150
	P	Gold Combat RL II			X	X			A8	A8	X	1150
	P	KPD			X	X			A8	A8	X	1150
	P	PRO TLE/RLII			X	X			A8	A8	X	1150
Mossberg	LG	930 SPX/500/590	CFL-900 and Ext. Mag Tube		X	X			A8	A8	X	1150
Para Ordnance	P	Nite Tac			X	X			A8	A8	X	1150
	P	Lite Hawg					X	X				
Remington	LG	870/1100	CFL-900 and Ext. Mag Tube		X	X			A1	A1	X	1250
Ruger	P	P345			X	X			A8	A8	X	1150
	P	P90			X	X			A8	A8	X	1150
	P	P95			X	X			A8	A8	X	1150
	P	SR9			X	X			A8	A8	X	1150
SIG SAUR	P	P220 Combat			X	X			A3	A3	X	1150

Fit Chart

Gun Manufacturer	LG/P	Gun Model	Comment	M2 (UTL)	M3	M6	X2 (XML)	X2L/WX100L	M3X	M6X	XTI/WX150/WX150L	LAM	
SIG SAUR	P	P220	CFL-220-A-1		X	X			A8	A8	X	1150	
	P	P226	CFL-226-A-1		X	X			A8	A8	X	1150	
	P	P228/P229	CFL-228-A1		X	X			A8	A8	X	1150	
	P	P250			X	X			A8	A8	X	1150	
	LG	SG 552 w/ factory rails			X	X			A3	A3	X	1250	
	P	GSR			X	X			A3	A3	X	1250	
	P	Revolution Nitron Rail			X	X			A3	A3	X	1250	
	P	P220R			X	X			A3	A3	X	1250	
	P	P226R			X	X			A3	A3	X	1250	
	P	P228R			X	X			A3	A3	X	1250	
	P	P229R			X	X			A3	A3	X	1250	
	P	SP2022			X	X			A3	A3	X	1250	
	LG	556			X	X			A1	A1	X	1250	
	P	Mosquito			X	X			A8	A8	X	1150	
Smith & Wesson	P	SW99	M5 (Discontinued)										
	P	TSW models	M5 (Discontinued)										
	P	M&P			X	X			A3	A3	X	1150	
	P	M&P 15T			X	X			A3	A3	X	1150	
	P	Sigma	M4 (Discontinued)										
	P	327 M&P R8			X	X			A3	A3	X		
	P	M&P Compact					X	X					
Springfield Armory	P	XD45/Compact/Service/Tactical			X	X	X	X		A8	A8	X	1150
	P	XD Sub-Compact					X	X					
	P	Operator Series			X	X			A3, A13	A3, A13	X	1150	
	P	TRP Light Rail			X	X			A3, A13	A3, A13	X	1150	
	LG	Loaded M1A			X	X			A3, A15	A3, A15	X	1250	
	LG	Socom II			X	X			A3, A15	A3, A15	X	1250	
	P	Loaded Micro Compact			X	X			A8	A8	X	1150	
Steyr		M-A1			X	X			A8	A8	X	1150	
STI International	P	Off Duty					X	X					
	P	Tactical Models			X	X			A8	A8	X	1150	
Strayer-Voigt, Inc.	P	Infinity w/ factory rails			X	X			A8	A8	X	1150	
Taurus	P	24/7			X	X			A8	A8	X	1150	
	P	PT609					X	X					
	P	PT909			X	X			A8	A8	X	1150	
	P	PT1911 w/Rails			X	X			A8	A8	X	1150	
	P	PT99			X	X			A8	A8	X	1150	
Walther	P	PPS					X	X					
	P	P99			X	X			A8	A8	X		
Wilson Combat	P	CQB w/ Rail			X	X			A8	A8	X	1150	



IR Laser Products

Sales of IR laser products to non-DoD Personnel by Insight Tech-Gear are restricted by the FDA to:

- Law Enforcement Agencies (State, Local, Municipal)
 - Federal Agencies
 - Qualified Third Party Agents
- Contact Insight Tech-Gear for details.

Export Notice

Insight Tech-Gear products are controlled for export purposes under the International Traffic in Arms Regulations (22 C.F.R. Chapter 1, Subchapter M, Parts 120-130) and the Export Administration Regulations (15 C.F.R., Parts 730-744), and require U.S. Government authorization prior to the export or transfer to a non-U.S. Person. Contact Insight Tech-Gear for details.

¹LIMITED LIFETIME WARRANTY INSIGHT TECH-GEAR

Insight Tech-Gear warrants its white light products be free from defects in workmanship and in materials for the life of the product. This lifetime warranty covers the product but excludes the batteries, bulbs, and accessories.

At its sole discretion, Insight Tech-Gear shall either repair or replace any product or part (batteries, bulbs, and accessories not included), which is found to be defective under normal use and service. Insight's obligation to either repair or replace shall be the purchaser's sole and exclusive remedy under this warranty. Damage from batteries is not covered. Carefully follow maintenance instructions to prevent battery damage from occurring.

There are no other warranties, expressed or implied, other than as set forth on this page, and Insight Tech-Gear disclaims any warranties of merchantability of fitness for a particular purpose. Insight Tech-Gear shall not be liable for incidental, consequential, or special damages arising out of or in connection with product use or performance. For service, repair or replacement, call Insight Customer Service at 1-877-744-4802 for an RMA number, and ship UPS prepaid.



23 Industrial Drive, Londonderry, NH 03053
Toll Free: 877-744-4802 Fax: 603-668-1084
www.InsightTechGear.com

"Insight", the Eye logo, the Stylized "X", "Slide-Lock", "Ultra VOX", "Get the Advantage" and "Arcturus" are Registered Trademarks.

"Dominate the Darkness", "Tru-Vue", "Procyon", "Regulus", X², X²L, ISM-V and ISM-IR are Trademarks of Insight Technology, Inc. One or more of these products may be covered by one or more of the following U.S. Patents: 5,374,986; 5,400,540; 5,430,967; 6,185,854; 6,190,025; 6,574,901 and D522,031.

Specifications subject to change without notice.